

58V SUPERFUELPOWER IMAGINE SUPERIOR



EU.DCK-TOOLS.COM/OPE/

DCK 58V EASE YOUR YARD CLEAN DOWN, EASE YOUR MIND NATURE FUN.









58V SUPERFUEL BRUSHLESS CORDLESS OUTDOOR POWER EQUIPMENT






































58V OUTDOOR POWER EQUIPMENT **SUPERFUEL POWER IMAGINE SUPERIOR**

E-Energy 58V Lithium-Ion Battery combines optimised energy storage and high-efficiency output with advanced thermal control, using a fortress-inspired structure and triangular cell grouping for rapid heat dissipation. Engineered for demanding industrial use, its shock-resistant design ensures durability, while intelligent airflow management maintains stable temperatures under heavy loads. Prioritising safety and extended runtime, it delivers reliable power through precision-engineered cooling and energy density maximisation.



01 E-ENERGY 58V Li-ION BATTERY

The e-ENERGY 58V lithium-ion battery boasts a fortress-style interior design with triangular cell groups arranged to maximize on energy accumulation and space for heat dissipation.

02 SUPERFUEL ENERGY CHARGER

The DCK 58V SUPERFUEL ENERGY CHARGER monitors and controls each cell in the battery pack to control temperature for maximum battery life.

03 BACKPACK LINK

New heat dissipation system Support 58V full series battery pack

04 BRUSHLESS OUTER ROTOR

Provide higher power density in the same size Higher output power and torque can be achieved

05 WALK-BEHIND MOWER

DCK 58V Self-propelled Lawn Mowerfeatures straight edge grass cutting performance and is easy to store. The self-propelled function increases traction and allows for effortless pushing of the mower.

06 HANDHELD BLOWER

The DCK 58V Superior Blower with advanced aeronautics air duct engineering maximizes the air volume and velocity. The era of petrol/gas leaf blowers is over with the brushless motor.

07 CHAIN SAW

The chainsaw, equipped with 45cm(18") Oregon® chain and guide bar, combined with an anti-vibration structure, delivers comfortable and safe working experiences.

08 STRING TRIMMERS

Compatible with the DCK 58V Multi-Head System and other trimmer systems, the 58V Brushless Multi-Function String Trimmer offers easy attachment replacement.

09 EDGER CUTTER ATTACHMENT

Durable made and depth adjustment wheel $8^{\prime\prime}$ hardened steel

10 BARUSH CUTTER ATTACHMENT

The DCK 58V Brush Cutter integrates three core innovations: a precision-machined metal gearbox with hardened steel components for extended durability.

11 POLE HEDGE TRIMMER ATTACHMENT

Variable speed control & Portable installaion 9 position rottating

12 POLE SAW ATTACHMENT

Featuring a 25mm (10") OREGON® bar and chain, it delivers robust cutting performance for demanding pruning tasks.

13 EXTENSION POLE

Portable installation interface for quick and easy installation.

14 HEDGE TRIMMER

The DCK Hedge Trimmer with top grade high quality, has a brushless motor that delivers ultimate power, and low vibration associated with longer runtime.

15 20V MAX

The DCK 20V MAX System is engineered for power and reliability, offering professional-grade performance for tradespeople.





SUPERFU©L58V

ENERGY LITHIUM-ION BATTERY

THERE IS **NO SUBSTITUTE**



Get into the DCK 58V platform to experience industry-leading lithium-ion battery technology that boasts a fortress-style interior design with triangular cell groups arranged to maximize energy accumulation and space for heat dissipation. This combination of safety and efficiency ensures reliable and shock-resistant performance, making it the ideal choice for demanding applications.





TRIANGULAR CELL GROUP ARRANGEMENT



The axis of the three cells are engineered in a triangular configuration, optimizing space and utilization while maximizing energy output for enhanced structural stability.



ADVANCED HEAT DISSIPATION

With a large space for energy accumulation, the center of the battery reserves ample space for heat dissipation.





BMS IMMERSIVE PROTECTION

The advanced battery management system provides intelligent safeguards for temperature and voltage protection. This technology prevents short-circuits and ensures peak performance and durability of the system.



Capacity	126Wh / 2.5Ah
Charging Time	≈ 30min/8A
Net Weinht	150kg / 3 31hs



Capacity	201Wh / 4.0Ah
Charging Time	≈ 33min/8A
Net Weight	2.08kg / 4.6lbs



Capacity	252Wh / 5.0Ah
Charging Time	≈ 40min/8A
Net Weight	2.90kg / 4.6lbs



KDBL5860 6.0Ah

Capacity	302Wh / 6.0Ah
Charging Time	≈ 48min/8A
Net Weight	2.9kg / 6.4lbs



Capacity	378Wh / 7.5Al
Charging Time	≈ 60min/8/
Net Weight	2.9kg / 6.4lbs



ON-BOARD BATTERY INDICATOR

On-Board Battery Indicator provides a convenient way to monitor the battery level and ensure optimal usage.

58V SUPERFUEL ENERGY STANDARD 5A CHARGER

The 350W fast charging system integrates multiple safety protections, a real-time LED charging indicator, and an active fan cooling mechanism to ensure reliable and efficient power delivery.

Model	KCL5832-3(EU) / KCL5832-2(US)
Input Voltage and Frequency	220-240V / 50Hz (EU)
	120V / 60Hz (US)
Charging Current	5.0A Max
Output Voltage	58V
Input Power	350W

LED CHARGING INDICATOR

FAN COOLING SYSTEM

An advanced cooling fan system effectively dissipates heat,ensuring efficient and safe charging.

MULTI-PROTECTION CHARGING SAFETY



58V SUPERFUEL ENERGYRAPID 8A CHARGER



An advanced cooling fan system effectively dissipates heat, ensuring efficient and safe charging.

RAPID RECHARGE CAPABILITY

Integrated fuel gauge for quick battery level check.

STURDY STRUCTURE

The charger boasts a sturdy structure, providing durability and reliability for long-lasting use.

133,10

run charying time	~ 30111111	~ 33111111	~ 4 0111111	~ 4 0111111	~ 00111111
Full Charging Time	≈ 30min	≈ 33min	≈ 40min	≈ 48min	≈ 60min
Applicable Battery Cartridge Capacity	2.5 Ah	4.0 Ah	5.0 Ah	6.0 Ah	7.5 Ah
Applicable Battery Pack Voltage			50.4V 		
Input Power			550W		
Output Voltage			58V 		
Charging Current			8.0A Max		
Input Voltage and Frequency	220-2	40V / 50Hz (EU)		120V / 60Hz ((US)
Model		KUL5	8-3(EU) / KUL58-2	(08)	





BACKPACK BATTERY LINK

This advanced charger monitors and controls each battery cell to optimize temperature and

extend battery life. Its efficient cooling fan system ensures safe charging. Built for durability, it features a robust structure and an integrated fuel gauge for quick battery level checks.



Ergonomic handle design for easy hold.



Wider shoulder strap for lighter load and hand relief.



Unique mesh design for excellent breathability and ventilation.



Light weight for easy portability.



Support system

The machine can stand freely, making it easty to operate.



Side output port with durable cable tie for easy use.





KDBPA5801 58V SUPERFUEL BACKPACK **BATTERY LINK**

58V 2.5Ah/4.0Ah/5.0Ah/6.0Ah/7.5Ah **Batteries on Board** 1pcs



ELABORATE IN DETAIL

The external dummy pack connector can match the full range of 58V platform products. The ergonomic design allows users to adjust the looseness according to their own conditions, and properly disperses the heavy feeling brought by the battery pack, and effectively reduces the fatigue caused by long hours of handheld operation.



Insert the hattery into the nortable power unit. You'll hear a click once it's properly locked in place, meaning it's



Put your arm through the shoulder strap and use the adapter. Adjust the length of shoulder strap buckle and



Put the power cord through Velcro along the shoulder



Connect the adapter cable to the power supply unit and verify the portable device powers on normally



After completing assembly steps 1 through 4, the final product should match the illustration provided.



Install the adapter into the designated machine, and then start the tool following the provided instructions.



SUPERFU \$\(\omega\)L58V

BRUSHLESS OUTER ROTOR

PRECISE CONTROL

More precise speed and position control through precise electronic control



ADVANCED TECHNOLOGY ALLOWS FOR PRECISION PAIRING OF MOTORS AND TOOLS

ELECTROMAGNETIC

Electronic commutation without mechanical contact Reducing electromagnetic interference

EXTENDED TOOL LIFE

Longer lifespan as no wear during operation



HIGH POWER DENSITY

Provide higher power density in the same size Higher output power and torque can be achieved



Less energy waste and loss



MORE PERFORMANCE





CORDLESS BRUSHLESS SELF-PROPELLED LAWN MOWER

EASE YOUR YARD CLEAN DOWN, EASE YOUR MIND NATURE FUN.

DCK 58V Self-propelled Lawn Mower features straight edge grass cutting performance and is easy to store. The self-propelled function increases traction and allows for effortless pushing of the mower. The USEFOLD technology helps the mower collapse and telescope up and down allowing for compact storage with just one knob.



USEFOLD TECHNOLOGY

USEFOLD technology helps to fold the tools with only adjusting one knob. Apply collapsible and telescoping handle for convenient storage.

















EXTREME RUNTIME

Runtime up to 60mins, ideal for $\frac{1}{2}$ or smaller acre, constant operation.

CUTTING CAPABILITY

7 cutting height adjustment settings from 30mm to 100mm (1.2" - 4").



7 CUTTING HEIGHT ADJUSTMENT SETTINGS



SELF-PROPELLED COMPACT & LIGHTWEIGHT DESIGN

Self-propelled design featuring rear-wheel drive and variable speed control allows for effortless climbing over hills and bumps in your yard. Tackle different terrains with ease.







KDBL5860 6.0Ah Battery KCL5832-3(EU)/5832-2(US)









MULCHING INSERT



SIDE DISCHARGE CHUTE



KDLM58212PK

WITH 58V MAX / 7.5Ah BATTERY



Speed adjustment knob enables efficient operation

in a compact design.







KDLM58212HM

WITH 58V MAX / 6.0Ah BATTERY

No-load Speed	2600rpm	2600rpm	2600rpm
Cutting Width	1.8-5.0km/h	1.8-5.0km/h	1.8-5.0km/h
Cutting Height Setting	7 Position, 30-100mm (1.2" - 4")	7 Position, 30-100mm (1.2" - 4")	7 Position, 30-100mm (1.2" - 4")
Cutting Diameter	520mm (21")	520mm (21")	520mm (21")
Torque	11.4N.m (8.4ft.lbs)	11.4N.m (8.4ft.lbs)	11.4N.m (8.4ft.lbs)
Propelling Speed	1.8-5.0km/h	1.8-5.0km/h	1.8-5.0km/h
Self-propelled Speed	0.5-1.4m/s	0.5-1.4m/s	0.5-1.4m/s
Grass Collection Capacity	70L	70L	70L
Runtime	Up to 60min (with 7.5Ah Battery)	Up to 48min (with 6.0Ah Battery)	-
Weight	32.5kg (71.5lbs) with 7.5Ah Battery	31.5kg (69.4lbs) with 6.0Ah Battery	30.4kg (67lbs)

ACCESSORIES & PACKAGE

KDLM58212 Lawn Mower	1pcs	1pcs	1pcs
58V Superfuel Battery	KDBL5875 7.5Ah Battery *1pcs	KDBL5860 6.0Ah Battery *1pcs	-
Charger	KCL58-3(EU)/58-2(US) Rapid 8A Charger *1pcs	KCL5832-3(EU)/5832-2(US) Standard 5A Charger *1pcs	-
Grass Collection Bag	1pcs	1pcs	1pcs
Grass-Bag Frame	1pcs	1pcs	1pcs
Mulching Insert	1pcs	1pcs	1pcs
Side-Discharge Chute	1pcs	1pcs	1pcs
Phone Mount	1pcs	1pcs	1pcs
Operator's Manual	1pcs	1pcs	1pcs
Color Box Packing	1pcs	1pcs	1pcs



POWER IMAGINE SUPERIOR



CORDLESS BRUSHLESS LEAF BLOWER

ENDS THE ERA OF PETROL/GAS LEAF BLOWER



FROM ZERO TO HERO

Turbo button creates incredible 1308m³/h (770CFM) air volume immediately, plus "free your thumb" cruise control knob that makes it more powerful than gas-powered models.



INNOVATIONS FOR UNMATCHED POWER

Up to 1308m³/h (770CFM) and 320km/h (200MPH) of airpower delivers super excellent cleaning efficiency.

JET FAN / AXIAL FAN DESIGN

The jet fan/axial fan design provides higher blower power and efficiency, with advanced aeronautics air duct engineering to maximize the air volume and velocity.





I ADVANCED AIR DUCT DESIGN

LIGHTWEIGHT & ERGONOMIC DESIGN

Lightweight and ergonomic design allows for easy control and arm movement. Anti-vibration structure delivers comfortable and safe working experience.



KDBL5850 5.0Ah Battery KCL58-3(EU)/58-2(US)



KDBL5840 4.0Ah Battery KCL5832-3(EU)/5832-2(US)







Powerful 58V high performance delivers

The brushless motor technology provides extended runtime and significantly increases motor lifespan for reliable, long-term performance.

Variable speed trigger switch for ultimate power

The levitated air duct with anti-vibration design ensures a comfortable, safe, and quiet working

The blower tube ensures highly efficient airflow

Nozzle-Release button releases the Nozzles

for superior performance.

from the blower easily.

KDLB58211FDK

WITH 58V MAX / 5.0Ah BATTERY

superfuel power.





KDLB58211BDM WITH 58V MAX / 4.0Ah BATTERY

3500-26500rpm	3500-26500rpm
102dB	102dB
27N	27N
20km/h (200MPH) with Tapered Nozzle	320km/h (200MPH) with Tapered Noz

no-ioau specu	3300-203001 pili	0000-200001 pm	3300-203001 pm
Noise	102dB	102dB	102dB
Maximum Propulsive Force	27N	27N	27N
Air Speed	320km/h (200MPH) with Tapered Nozzle	320km/h (200MPH) with Tapered Nozzle	320km/h (200MPH) with Tapered Nozzle
Air Volume	1308m³/h (770CFM)	1308m³/h (770CFM)	1308m³/h (770CFM)
Run Time	Turbo: 14min / High: 24min	Turbo: 12min / High: 20min	-
Weight	4.76kg (10.5 lbs) with 5.0Ah Battery	4.76kg (10.5 lbs) with 4.0Ah Battery	2.67kg (5.9 lbs) Bare Tool

KDLB58211 Leaf Blower	1pcs	1pcs	1pcs
58V Superfuel Battery	KDBL5850 5.0Ah Battery *1pcs	KDBL5840 4.0Ah Battery *1pcs	-
Charger	KCL58-3(EU)/58-2(US) Rapid 8A Charger *1pcs	KCL5832-3(EU)/5832-2(US) Standard 5A Charger *1pcs	_
Tapered Nozzle	1pcs	1pcs	1pcs
Curved Nozzle	1pcs	1pcs	1pcs
Spread Nozzle	1pcs	1pcs	1pcs
Shoulder Strap	1pcs	1pcs	1pcs
Operator's Manual	1pcs	1pcs	1pcs
Color Box Packing	1pcs	1pcs	1pcs







CORDLESS BRUSHLESS CHAIN SAW

The DCK tool-free chain tension chainsaw, featuring a 450mm (18") / 400mm (16") Oregon® chain and guide bar, incorporates an anti-vibration structure to provide comfortable and safe working experiences. With its automatic oiling system, it maximizes performance while combating wear and tear. When it comes to cutting, this chainsaw, coupled with a highly efficient brushless motor and advanced control system, delivers a consistent high-speed performance, providing a smooth cutting experience comparable to that of a petrol unit.



450mm (18-inch)

*KDCS58161(Type BDM/Z) Configuration Bar Length 400mm (16") Optional; KDCS58181(TypeFDM/Z) Configuration Bar Length 450mm (18") Optional.

CHAIN KICKBACK BRAKE GUARD

Stop the chain immediately on kickback, making this a safer chainsaw.

SMOOTH CUTTING WITH CONSTANT HIGH-SPEED



GUIDE BAR 450MM(18") / 400MM(16")

450mm (18") / 400mm (16") Oregon® chain and guide bar ensure comfortable and safe working experiences.

QUICK CHAIN TENSION (TOOL FREE)

Tool-free chain tension for convenient operation and

58V 5.0 Ah battery drives up to 300 cuts of 4x4 wood

UNPARALLELED RUNTIME

maintenance.



INTELLIGENT OIL-REFILLING SYSTEM

Automatic oiling system to maxout the performance confront the wear and tear

ANTI-VIBRATION STRUCTURE WITH SAFE & LIGHWEIGHT DESIGN

Metal Spike provides more control and minimizes kickback. Built-in LED light illuminates your work when you are cutting at dusk or in dark area. Anti-vibration structure ensures comfortable and safe working experience.



KDBL5850 5.0Ah Batter





450mm (18") / 400mm (16")



450mm (18") / 400mm (16")



Bar and Chain Oil



Metal Spike enhances more control and minimize es kickback.

Lock-off button ensures safe use and prevents accidental switch startup.

Variable speed trigger switch for ultimate powe

Built-in LED light illuminates your work when you

Stops the chain immediately on kickback

Tool-free Chain-tension adjust knob, permits quick precise adjustment of chain tension

are cutting at dusk or in dark area.

making this a safer chainsaw.

with just a twist.

199.



KDCS58161BDM

WITH 58V MAX / 4.0Ah BATTERY

23m/s

320ml (11.26 oz.)

400mm (16") Optional

380mm (15")

240 Cuts 100x100mm(4"x4") LUMBER

level in the tank.



High-performance brushless motor delivers sustained power with longer runtime, quieter operation, and enhanced durability in a compact



KDCS58161Z

BARE TOOL

320ml (11.26 oz.)

400mm (16") Optional

380mm (15")



with 5.0Ah battery

WITH 58V MAX / 5.0Ah BATTERY



KDCS58181Z

23m/s	23m/s
320ml (11.26 oz.)	320ml (11.26 oz.)
450mm (18") Optional	450mm (18") Optional
430mm (17")	430mm (17")
300 Cuts 100x100mm(4"x4") LUMBER	

•	\sim r	രവ	DIL	.C 0	D A	CKA	CE
L	L.P.	2211	IKIF	2 4	, PA	11.KA	1176

Chain Speed **Oil Tank Capacity**

ACCESSURIES & PA	ICKAGE			
Chain Saw	KDCS58161 Chain Saw *1pcs	KDCS58161 Chain Saw *1pcs	KDCS58181 Chain Saw *1pcs	KDCS58181 Chain Saw *1pcs
58V Superfuel Battery	KDBL5840 4.0Ah Battery *1pcs	-	KDBL5850 5.0Ah Battery *1pcs	KDBL5840 4.0Ah Battery *1pcs
Charger	KCL5832-3(EU)/5832-2(US) Standard 5A Charger *1pcs	-	KCL58-3(EU)/58-2(US) Rapid 8A Charger *1pcs	-
Saw Chain	400mm (16") Saw Chain *1pcs	400mm (16") Saw Chain *1pcs	450mm (18") Saw Chain *1pcs	450mm (18") Saw Chain *1pcs
Guide Bar	400mm (16") Guide Bar *1pcs	400mm (16") Guide Bar *1pcs	450mm (18") Guide Bar *1pcs	450mm (18") Guide Bar *1pcs
Scabbard	1pcs	1pcs	1pcs	1pcs
Bar and Chain Oil	1pcs	1pcs	1pcs	1pcs
Operator's Manual	1pcs	1pcs	1pcs	1pcs
Color Box Packing	1pcs	1pcs	1pcs	1pcs

Weight 6.9kg (15.2lbs) with 4.0Ah Battery 4.8kg (10.6lbs) Only Tool 7.0kg (15.4lbs) with 5.0Ah Battery 4.9kg (10.8lbs) Only Tool







SUPERFU OL 58V

CORDLESS BRUSHLESS MULTI-FUNCTION TRIMMER

Compatible with the DCK 58V Multi-Head System and other trimmer systems, the 58V Brushless Multi-Function String Trimmer offers easy attachment replacement.



VARIABLE SPEED CONTROL FOR ALL THE DEMANDS

3-speed setting switch for ultimate power control and runtime management.

ATTACHMENT-CAPABLE

Attachment-capable design fits DCK 58V Multi-Head System

EASY AND RAPID RELOAD WITH A TWIST OF THE TRIMMER SPOOL



GUARD

Reduce the risk of injury from foreign



GAS-PERFORMANCE POWER BUT QUIET OPERATION

LEVER STYLE LOCK SYSTEM & ERGONOMIC DESIGN

Lever style lock system allows for quick tool-less installation and replacement of attachments and adjustable assist handle for comfortable ergonomic experience.





KDBL5840 4.0Ah Battery KCL5832-3(EU)/5832-2(US) Standard 5A Charger

Wrench

01 11 01



Brushless motor delivers longer run time and extend-



3-speed setting switch for ultimate power control and runtime management.



The adjustable assist handle ensures a comfortable and ergonomic grip, while effectively minimising vibration for improved control and reduced operator fatigue.

231,-



Attach the shoulder strap to the trimmer for enhanced comfort and ease of use, reducing fatigue during extended operation.



Lever style lock system allows for quick tool-less installation and replacement of attachments.



Shaft-release button for quick release and installation of different attachments.



Line-cutting blade keeps the trimmer line at the proper length.



	KDPH581FDK + KDST151 WITH 58V MAX / 5.0Ah BATTERY	KDPH581BDM + KDST151 WITH 58V MAX / 4.0Ah BATTERY	KDPH581Z + KDST151 Bare tool
Line Diameter	2.4mm (0.095")	2.4mm (0.095")	2.4mm (0.095")
Cutting Path/Swath	380mm (15")	380mm (15")	380mm (15")
No-load Speed	4,000/5,000/5,700rpm	4,000/5,000/5,700rpm	4,000/5,000/5,700rpm
Line Reload	Bump Feed	Bump Feed	Bump Feed
Runtime	Up to 115min	Up to 90min	-
Weight	7.29kg (16lbs) with 5.0Ah Battery	7.29kg (16lbs) with 4.0Ah Battery	5.20kg (11.4lbs) Bare Tool

ACCESCIBIES & PACKAGE

ACCESSURIES & PACKAGE			
KDPH581 Power Head	1pcs	1pcs	1pcs
KDST151 String Trimmer Attachment	1pcs	1pcs	1pcs
58V Superfuel Battery	KDBL5850 5.0Ah Battery *1pcs	KDBL5840 4.0Ah Battery *1pcs	-
Charger	KCL58-3(EU)/58-2(US) Rapid 8A Charger *1pcs	KCL5832-3(EU)/5832-2(US) Standard 5A Charger *1pcs	-
Wrench	1pcs	1pcs	1pcs
Shoulder Strap	1pcs	1pcs	1pcs
Operator's Manual	1pcs	1pcs	1pcs
Color Box Packing	1pcs	1pcs	1pcs

479,-

399,-



58V SUPERFUEL POWER IMAGINE SUPERIOR







EDGER ATTACHMENT

Compatible with the DCK 58V Multi-Head System and other trimmer systems, the 58V Brushless Multi-Function String Trimmer offers easy attachment replacement.



DEPTH-ADJUSTING KNOB CONTROLS WHEEL FOR CONVENIENT WORKING

DURABLE DIE-CAST ALUMINUM GUARD FOR RELIABLE PROTECTION

The die-cast aluminum guard ensures exceptional durability and reliable protection, safeguarding against potential hazards for long-lasting performance.

200MM(8") HARDENED STEEL BLADE

The 200mm(8") hardened steel blade delivers clean, precise cuts, ensuring perfectly maintained edges around your driveway with long-lasting durability.

DURABILITY

Cast aluminum guard and steel skid plate for maximum durability.





Guide wheel rolls on ground and keeps edger blade at preset height for required



Debris flap reduces the risk of injury from foreign objects.



Guide plate for cutting against pavement.

2.3kg (5.05lbs)

Edger Attachment *1pcs Color Box Packing *1pcs





Weight

Accessories

BRUSH CUTTER ATTACHMENT

KDPH581+KDBC151 58V Superfuel Brushless Cordless Brush Cutter integrates three core innovations: a precision-machined metal gearbox with hardened steel components for extended durability, a debris-deflecting reinforced safety guard, and a 300mm (12") triple-cutter blade employing triangular tooth geometry that reduces friction while maximizing cutting efficiency.

DURABLE METAL GEARBOX

Precision-engineered with high-grade steel components for extended operational lifespan.

REINFORCED SAFETY GUARD

Safety-tested protection system minimizes debris exposure risks during operation.

300MM (12") TRIPLE-CUTTER BLADE

Triangular tooth configuration ensures optimal cutting efficiency with reduced material friction.







|--|

Blade Type	Three Teeth
Cutting Width	300mm (12")
RPM	4,000/5,000/5,700
Weight	1.84kg (4.06 lbs)
Accessories	Brush Cutter Attachment *1pcs Color Box Packing *1pcs







POLE HEDGE TRIMMER **ATTACHMENT**

Featuring a dual-action double-sided blade for clean cuts, this trimmer offers tool-free adjustment and 9-position rotating head for comfortable vertical or angled trimming. Quick setup and ergonomic design ensure smooth operation.

ADJUSTING BLADE

9 Position rotating provides comfort trimming during vertical and angle trimming.

TOOL-LESS ORIENTATION ADJUSTMENT


Enjoy hassle-free adjustments with the tool-less orientation feature, designed for quick and easy customization.



Tip protector protects the outer tip of the blade.



Dual-action laser cut blade hardened steel



comfortable operating experience.

Soft sleeve reduces vibration and provides

KDHT211

Max Cutting Length	460mm (18")
Max Cutting Diameter	21mm (0.83")
Blade Type	Dual-action, Double-sided Laser-cut diamond ground blade
Handle Type	120° Rotating
SPM	2,100/2,650/3,050
Weight	2.58kg (5.68lbs)
Accessories	Pole Hedge Trimmer Attachment *1pcs Color Box Packing *1pcs

POLE SAW ATTACHMENT

Compatible with the DCK Power Head (KDPH581, sold separately), this pole saw features a 250mm(10") Oregon® bar and chain for strong cutting performance. The auto-oiling system keeps the chain lubricated, while the tool-free interface ensures quick setup. Ideal for demanding pruning tasks.

PORTABLE INTERFACE

Portable interface for quick and easy installation.

AUTOMATIC OILING


Automatic oiling delivers a steady supply of chain lubrication for safe and effective use.



The one-touch angle adjustment feature allows for seamless 0-90° positioning, enabling versatile performance across a wide range of pruning tasks.

The chain-tensioning screw allows for quick and precise adjustment of the saw chain, ensuring optimal tension for safe and efficient operation.

Dual-head wrench lock/unlocks the hex head bolt and the flat screw.





250MM (10") OREGON® CHAIN AND GUIDE BAR

Dual action double sided blade for optimal cutting performance

KDCS101

Blade Length	250mm (10")
RPM	4,800/6,000/6,800
Chain Speed (m/s)	10.5/13.5/15
Chain Tensioning	Tooled
Weight	2.2kg (4.85lbs)
Accessories	Brush Cutter Attachment *1pcs





KDEP281

EXTENSION POLE ATTACHMENT



Compatible with DCK Power Head KDPH581 and pole saw/pole hedge trimmer attachment for 58V multi-head system (available Separately)



Portable installation interface for quick and easy installation



Up to 712mm (28") extension to get vour works done easier

Length	712mm (28")		
Weight	0.75kg (1.65lbs)		
Accessories	Extension Pole Attachment *1pcs		
	Color Box Packing *1pcs		







CORDLESS BRUSHLESS HEDGE TRIMMER

The DCK 58V Hedge Trimmer features 650mm (26") dual-action steel blades for precise cuts up to 33mm (1-1/4") and smooth trimming thanks to laser-cut, diamond-ground blades. Its brushless motor ensures durability, extended runtime, and quiet operation. Comfort is enhanced with a 5-position 180° rotating handle and variable speed control, while its anti-vibration design guarantees safer, more comfortable use. Additionally, it offers a No-Load Speed of 2400/2800/3400rpm, allowing for optimized performance depending on trimming needs.



DESIGN TO ABSORB VIBRATION

Patented anti-vibration design, blade gap gets around those branches and rips right through them, while the over molded construction on the grips dissipates all that power



5-position 180° rotating provides comfort trimming during vertical and angle trimming.

LONG-LASTING BLADE

Made from high carbon stainless steel (C75), the blades are more durable





ERGONOMIC DESIGN

Compact and durable brushless motor brings sustaining power, longer runtime with lower noise. The over molded rubberized grip dissipates all that power and provides a comfortable experience.







Dual-switch safety system (rear trigger + front lever) prevents

Integrated lock-off mechanism ensures complete trigger deactivation, preventing accidental starts and unauthorized use.

Precision 3-speed selector (2400/2800/3400 RPM) adapts to varying cutting tasks, from delicate trimming to heavy-duty hedging.

Advanced safety guard with debris deflection system minimizes

Reinforced blade tip guard provides maximum protection against

..... 650mm (26")

impacts and abrasions during storage and transportation.

injury risks from flying debris and accidental contact.

accidental startup for secure operation.

Front handle for easy control of the tool.

KDBL5825 2.5Ah Battery KCL5832-3(EU)/5832-2(US) Standard 5A Charger

199,-





Compact and durable brushless motor brings sustain-

Safety-engineered blunt-nose blade design prevents

puncture injuries while maintaining optimal cutting

ing power, long runtime and low noise

Color Roy Packing

	KDHT 58262CK	KDHT 58262CM	KDHT 58262Z
	WITH 58V MAX / 2.5Ah BATTERY	WITH 58V MAX / 2.5Ah BATTERY	BARE TOOL
Max Cutting Length	650mm (26")	650mm (26")	650mm (26")
Max Cutting Diameter	33mm (1-1/4")	33mm (1-1/4")	33mm (1-1/4")
Handle Type	180° Rotating	180° Rotating	180° Rotating
No-Load Speed	2400/2800/3400rpm	2400/2800/3400rpm	2400/2800/3400rpm
Runtime	40min with 2.5Ah Battery (High Mode)	40min with 2.5Ah Battery (High Mode)	-
Weight	5.9kg (13lbs) with 2.5Ah Battery	5.9kg (13lbs) with 2.5Ah Battery	4.4kg (9.7lbs) Only Tool

ACCESSORIES & PACKAGE

ACCESSURIES & FACKAGE			
KDHT58262 Hedge Trimmer	1pcs	1pcs	1pcs
58V Superfuel Battery	KDBL5825 2.5Ah Battery *1pcs	KDBL5825 2.5Ah Battery *1pcs	-
Charger	KCL58-3(EU)/58-2(US) Rapid 8A Charger *1pcs	KCL5832-3(EU)/5832-2(US) Standard 5A Charger *1pcs	-
Scabbard	1pcs	1pcs	1pcs
Operator's Manual	1pcs	1pcs	1pcs
Color Box Packing	lpcs	lpcs lpcs	1pcs

380,-

319,-

199,-

58V SUPERFUEL POWER IMAGINE SUPERIOR





20 TAX BRUSHLESS CORDLESS OUTDOOR POWER EQUIPMENT

FFCL20-02/2A

CHARGER

ACCESSORIES & PACKAGE





FFBL2040 4.0Ah Battery *1pcs









20V MAX CORDLESS BRUSHLESS PURNER KDYD35S

Featuring a brushless motor for superior power and energy efficiency, this trimmer integrates SK5 steel blades with Teflon coating to ensure razor-sharp durability, non-stick performance, and wear resistance. Its 4-gear shearing capacity and electronic shift function adapt seamlessly to diverse cutting tasks, while the dual safety switch eliminates accidental activation. Designed for comfort, the ergonomic rubberized handle provides secure grip and reduced fatigue during extended use.

BRUSHLESS MOTOR

More powerful and Higher efficiency.

SK5 STEEL BLADE WITH TEFLON COATING

SK5 steel blade with Teflon coating offers exceptional sharpness, durability, and non-stick performance with enhanced wear resistance.

4-GEAR SHEARING CAPACITY SETTING

Applicable to different working conditions.

DUAL SAFETY SWITCH

The dual safety switch effectively prevents false starts.

ELECTRONIC SHIFT FUNCTION, MATCH VARIOUS APPLICATIONS.

RUBBERIZED HANDLE COMFORTABLE

159,-

KDYD35SAM

WITH 20V MAX / 2.0Ah BATTERY

Max. Power Output		450W	450W
Shearing Capacity	1st Gear	Hard Branches: φ 20mm	Hard Branches: φ20mm
		Soft Hard Branches: φ20mm	Soft Hard Branches: φ20mm
	2nd Gear	Hard Branches: φ 25mm	Hard Branches: φ25mm
		Soft Hard Branches: φ25mm	Soft Hard Branches: φ25mm
	3rd Gear	Hard Branches: φ25mm	Hard Branches: φ25mm
		Soft Hard Branches: φ30mm	Soft Hard Branches: φ30mm
	4th Gear	Hard Branches: φ25mm	Hard Branches: φ25mm
		Soft Hard Branches: φ35mm	Soft Hard Branches: φ35mm
Runtime		2000 Cut / 2.0Ah / φ15-25mm	-
Weight		1.3kg(2.78lbs) with 20V Max 2.0Ah Battery	1.0kg(2.2lbs) Bare Tool
ACCESSORIES & PACKAGE		KDYD35S Pruner *1pcs Wrench *1pcs Hex Wrench *1pcs Whetstone *1pcs Lubricating Oil *1pcs Pruning Shear Tool-Case Assembly 20V MAX 2.0Ah Battery *2pcs 2A Charger *1pcs Operator's Manual *1pcs Plastic Toolbox *1pcs	KDYD35S Pruner *1pcs Wrench *1pcs Hex Wrench *1pcs Whetstone *1pcs Lubricating Oil *1pcs Pruning Shear Tool-Case Assembly Operator's Manual *1pcs Plastic Toolbox *1pcs

20V MAX CORDLESS BRUSHLESS CHAIN SAW KDCS20101

Equipped with a brushless motor for extended runtime and enhanced durability, this chainsaw delivers efficient cutting with a maximum chain speed of 12m/s. It features innovative tool-free chain tensioning and an automatic oiling system to simplify maintenance while prolonging chain life. The ultra-compact, lightweight body ensures superior maneuverability, complemented by a safety-focused brake system for reliable operation in diverse conditions.



250mm (10")

119,-

AUTOMATIC OIL PUMPING SYSTEM FOR ENHANCED CHAIN LIFE

Automatic oil pumping system Automatic oil pumping system to improve chain life.

BRUSHLESS MOTOR

Chain Speed

Oil Tank Canacity

ACCESSORIES & PACKAGE

Max Cutting Dia.

Brushless motor delivers longer run time and extended motor life.

TOOL-FREE TENSIONING

Tool-free saw chain tensioning for convenient operation and maintenance.

EFFICIENT CUTTING

12m/s max. chain speed for efficient cutting.

ULTRA-COMPACT

Ultra-compact body and light-weight.

BRAKE SYSTEM, SAFE AND RELIABLE



250mm (10") Optional 250mm (10") Optional 250mm (10") Optional 12m/s 12m/s 12m/s 150ml (5.07 oz.) 150ml (5.07 oz.) 228mm (9") 228mm (9") 228mm (9") - 2.7kg (5.95lbs) with 4.0Ah Battery 2.0kg (4.41lbs) Bare Tool

KDCS20101 Chain Saw *1pcs | 250mm (10") Saw Chain *1pcs | 250mm (10") Guide Bar *1pcs | 250mm (10") Scabbard *1pcs | 250mm (10") Guide Bar *1pcs | 250mm (10") Scabbard *1pcs |

Packing *1pcs

| Bar and Chain Oil *1pcs | FFBL2040 4.0Ah Battery *2pcs |

FFCL20-02 2A Charger *1pcs | Operator's Manual *1pcs | Color





99,-

KDYD35SZ



Bar and Chain Oil *1pcs | Operator's Manual *1pcs | Color Box